| | Type | L # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 1 | BRS | L1 | 1 | "4400056".pn. | US-PGPUB; USPAT |
| 2 | BRS | L2 | 1 | 1 and (Hole$1 cavity void$1 hollow crater trench wells bore bores via$1 hole$1 perfor$4 trench ditch channel GRID$1 slit$4 slot$3 holes apertures opening$1 groov$1 hollow grating$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 3 | BRS | L3 | 1 | 1 and (Hole$1 cavity void$1 hollow crater trench wells bore bores via$1 hole$1 perfor$4 trench ditch channel GRID$1 slit$4 slot$3 holes apertures opening$1 groov$1 hollow grating$2 reson$5 reflect$5 pattern$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 4 | BRS | L4 | 1 | 10/656256 | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 5 | BRS | L5 | 1 | 4 and (duration$2 tim$4 period$4) same (distance$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 6 | BRS | L6 | 1 | 4 and (pulse$2 duration$2 tim$2 period$2 travel$4 small$5 short$3 distance$2 sensors) | US-PGPUB; USPAT; EPO; JPO; DERWENT |

| | Time Stamp |
|---|---|
| 1 | 2006/10/05 14:16 |
| 2 | 2006/10/05 14:18 |
| 3 | 2006/10/05 14:19 |
| 4 | 2006/10/05 14:32 |
| 5 | 2006/10/05 14:35 |
| 6 | 2006/10/05 14:45 |

| | Type | L # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 7 | BRS | L7 | 1 | 4 and (cavit$4 near7 length$2 same (quasi linear rang$3 half fring$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 8 | BRS | L8 | 6427 | mask$4 same expos$4 same (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 9 | BRS | L9 | 9270 | (mask$4 expos$4) same (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) same (index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 10 | BRS | L10 | 21170 | (reflect$5 near7 ((back$7 end$1 counter)) (counter near2 propagat$4)) near7 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 11 | BRS | L11 | 11 | L8 same L9 same L10 | US-PGPUB; USPAT; EPO; JPO; DERWENT |

| | Time Stamp |
|---|---|
| 7 | 2006/10/05 14:46 |
| 8 | 2006/10/05 14:52 |
| 9 | 2006/10/05 14:52 |
| 10 | 2006/10/05 14:52 |
| 11 | 2006/10/05 14:55 |

| | Type | L # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 12 | BRS | L13 | 1 | 11 and (puls$3 near12 (durat$5 period$3 tim$4)) same (sens$3 cavit$4 gratig$4 spac$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 13 | BRS | L14 | 2 | 11 and (fabry fabryperot FP) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 14 | BRS | L15 | 29 | fabry adj1 perot adj1 optical adj1 fiber$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 15 | BRS | L16 | 24 | 15 and sensors | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 16 | BRS | L17 | 63110 | "385"/$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT |

| | Time Stamp |
|---|---|
| 12 | 2006/10/05 15:00 |
| 13 | 2006/10/05 15:00 |
| 14 | 2006/10/05 15:19 |
| 15 | 2006/10/05 15:19 |
| 16 | 2006/10/05 15:20 |

| | Type | L # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 17 | BRS | L18 | 14 | 16 and 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT |

| | Time Stamp |
|---|---|
| 17 | 2006/10/05 15:20 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 1 | BRS | 1 | 10/656256 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 14:32 |
| 2 | BRS | 1 | 10/656256 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/09 19:17 |
| 3 | BRS | 1 | S2 and (mask$1 same (opening$4 hole$1 index$3 indic$2 radiat$4 chang$4)) and (reflect$5 interfer$4 cross$4 width$2 amplitud$3 back$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 11:42 |
| 4 | BRS | 1 | 10/656256 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 11:12 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 5 | BRS | 1566 | "385"/12.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 17:25 |
| 6 | BRS | 17 | S28 and (amplitu$4) and interfer$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:46 |
| 7 | BRS | 53 | S7 and S8 and S24 and S10 and S11 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:44 |
| 8 | BRS | 32 | S7 and S8 and S21 and S10 and S11 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:35 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 9 | BRS | 18 | S12 not S19 | US-PGPUB; USPAT | 2005/11/10 12:23 |
| 10 | BRS | 3 | S12 and S14 | US-PGPUB; USPAT | 2005/11/10 12:23 |
| 11 | BRS | 3 | S12 and S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:08 |
| 12 | BRS | 1 | 60/378351 | US-PGPUB; USPAT | 2005/11/10 12:19 |
| 13 | BRS | 5719 | mask$4 same expos$4 same (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 11:46 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 14 | BRS | 10 | S30 S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:22 |
| 15 | BRS | 3 | S32 and (amplitu$4) and interfer$4 near7 reflect$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:48 |
| 16 | BRS | 27 | S46 and (reflect$5 same interfer$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 15:30 |
| 17 | BRS | 1 | "20020146047" | US-PGPUB; USPAT | 2005/11/10 15:30 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 18 | BRS | 1 | S5 and (waveguide$1 fiber$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 15:35 |
| 19 | BRS | 0 | S48 and ((fiber$2 fibre$1) near3 grating$1) | US-PGPUB; USPAT | 2005/11/10 15:31 |
| 20 | BRS | 0 | S48 and ((fiber$2 fibre$1) near11 grating$1) | US-PGPUB; USPAT | 2005/11/10 15:31 |
| 21 | BRS | 52 | S7 and S8 and S35 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 13:44 |
| 22 | BRS | 0 | S48 and ((fiber$2 fibre$1) near7 grating$1) | US-PGPUB; USPAT | 2005/11/10 15:31 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 23 | BRS | 1 | S48 and ((fiber$2 fibre$1) same grating$1) | US-PGPUB; USPAT | 2005/11/10 15:31 |
| 24 | BRS | 0 | S5 and (waveguide$1 same fiber$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 15:34 |
| 25 | BRS | 19514 | (reflect$5 near7 ((back$7 end$1 counter)) (counter near2 propagat$4)) near7 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:07 |
| 26 | BRS | 359 | S7 and S8 and S55 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 17:24 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 27 | BRS | 1 | S5 and (mask$1 same (opening$4 hole$1 index$3 indic$2 radiat$4 chang$4)) and (reflect$5 interfer$4 cross$4 width$2 amplitud$3 back$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 11:29 |
| 28 | BRS | 8409 | (mask$4 expos$4) same (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) same (index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:08 |
| 29 | BRS | 5719 | S7 same6 same S55 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:09 |
| 30 | BRS | 10 | S7 same S8 same S55 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:25 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 31 | BRS | 244 | S7 same S8 and S55 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:55 |
| 32 | BRS | 1 | 10/656256 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 15:34 |
| 33 | BRS | 10 | ("5869835" "5841131" "5706375" "5699468" "5646401" "5641956" "20050018951" "20020146047" "20020076149" "5951881").pn. | US-PGPUB; USPAT | 2005/11/10 12:47 |
| 34 | BRS | 1566 | reflect$5 near7 end$1 near3 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) same (index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:02 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 35 | BRS | 138285 | reflect$5 same (intensit$4 amplitu$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 13:43 |
| 36 | BRS | 438851 | sens$4 near7 (pressur$4 strain$4 temperatu$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 11:53 |
| 37 | BRS | 1599 | interfer$5 same (Fresnel$1 reflect$4) same end$3 near7 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 13:42 |
| 38 | BRS | 25 | S7 same S8 and ((S7 S8) same S55) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:55 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 39 | BRS | 15 | S60 not S58 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:55 |
| 40 | BRS | 8 | S61 and interference | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 16:56 |
| 41 | BRS | 21 | S7 and S8 and S9 and S10 and S11 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:44 |
| 42 | BRS | 24 | S26 not (S12 S22) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:45 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 43 | BRS | 0 | S26 not (S12 S26) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:45 |
| 44 | BRS | 59173 | "385"/$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 11:55 |
| 45 | BRS | 1197 | reflect$5 near7 (grating$1) near3 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) same (index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:43 |
| 46 | BRS | 11 | S22 not S12 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:40 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 47 | BRS | 3 | ("4,994,791" "5,301,001" "5,682,237").pn. | US-PGPUB; USPAT | 2005/11/10 15:02 |
| 48 | BRS | 2332 | reflect$5 near7 (end$1 back$5) near3 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) same (index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:42 |
| 49 | BRS | 3 | 10/431456 | US-PGPUB; USPAT | 2005/11/10 12:18 |
| 50 | BRS | 7 | S28 and (amplitu$4) and interfer$4 near7 reflect$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 12:47 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 51 | BRS | 39 | S36 and (amplitud$4 peak$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 13:45 |
| 52 | BRS | 24 | S37 and sens$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 13:47 |
| 53 | BRS | 1 | "5,367,588".pn. | US-PGPUB; USPAT | 2005/11/10 13:58 |
| 54 | BRS | 16 | S38 and (puls$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 14:45 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 55 | BRS | 32 | S45 and (reflect$5 same fresnel$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 15:26 |
| 56 | BRS | 2 | S38 and murphy | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 14:45 |
| 57 | BRS | 1 | S40 and mask$3 | US-PGPUB; USPAT | 2005/11/10 13:58 |
| 58 | BRS | 2 | ("5943124" "5367588").pn. | US-PGPUB; USPAT | 2005/11/10 15:07 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 59 | BRS | 13168 | reflect$5 near7 end$1 near7 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 15:23 |
| 60 | BRS | 207 | S7 and S8 and S44 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2005/11/10 15:23 |
| 61 | BRS | 1 | "4400056".pn. | US-PGPUB; USPAT | 2006/10/05 14:16 |
| 62 | BRS | 21170 | (reflect$5 near7 ((back$7 end$1 counter)) (counter near2 propagat$4)) near7 (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:25 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 63 | BRS | 0 | S68 and (fabryparot parot) same cavit$4 and opening$3 same (refract$4 index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:28 |
| 64 | BRS | 11 | S64 same S65 same S66 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 14:52 |
| 65 | BRS | 1 | 10/656256 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:26 |
| 66 | BRS | 9270 | (mask$4 expos$4) same (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) same (index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:25 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 67 | BRS | 1 | S68 and (fabryperot perot cavit$4 opening$3 refract$4 index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:57 |
| 68 | BRS | 1 | S63 and (fabryperot perot cavit$4 opening$3 refract$4 index$3 indic$3 void$2 reflect$5 grating$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 15:18 |
| 69 | BRS | 1 | S68 and (fabryperot perot) same cavit$4 and opening$3 same (refract$4 index$3 indic$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:30 |
| 70 | BRS | 1 | S68 and (fabryperot perot cavit$4 opening$3 refract$4 index$3 indic$3 void$2 reflect$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 12:24 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 71 | BRS | 6427 | mask$4 same expos$4 same (fiber$1 fibre$1 waveguide$1 core$1 cladd$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2006/10/05 11:25 |

Day : Thursday
Date: 10/5/2006

PALM INTRANET

Time: 16:02:30

## Inventor Name Search Result

Your Search was:

Last Name = WANG
First Name = ANBO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---|---|---|---|---|---|
| 07937651 | 5381229 | 150 | 08/31/1992 | SAPPHIRE OPTICAL FIBER INTERFEROMETER | WANG, ANBO |
| 08023903 | Not Issued | 161 | 02/23/1993 | SPECTRALLY REFERENCED FIBER-OPTIC TEMPERATURE SENSOR | WANG, ANBO |
| 08114511 | 5446280 | 150 | 08/31/1993 | SPLIT-SPECTRUM SELF-REFERENCED FIBER OPTIC SENSOR | WANG, ANBO |
| 08904315 | 5963321 | 150 | 07/31/1997 | SELF-CALIBRATING OPTICAL FIBER PRESSURE, STRAIN AND TEMPERATURE SENSORS | WANG, ANBO |
| 09309660 | 6069686 | 150 | 05/11/1999 | SELF-CALIBRATING OPTICAL FIBER PRESSURE, STRAIN AND TEMPERATURE SENSORS | WANG, ANBO |
| 10431456 | Not Issued | 95 | 05/08/2003 | OPTICAL FIBER SENSORS BASED ON PRESSURE-INDUCED TEMPORAL PERIODIC VARIATIONS IN REFRACTIVE INDEX | WANG, ANBO |
| 10653920 | 7045767 | 150 | 09/04/2003 | SELF-COMPENSATING FIBER OPTIC FLOW SENSOR HAVING AN END OF A FIBER OPTICS ELEMENT AND A REFLECTIVE SURFACE WITHIN A TUBE | WANG, ANBO |
| 10653921 | Not Issued | 41 | 09/04/2003 | Creep and viscous flow resistant fiber optic sensor | WANG, ANBO |
| 10656256 | Not Issued | 71 | 09/08/2003 | Intrinsic Fabry-Perot optical fiber sensors and their multiplexing | WANG, ANBO |
| 10689552 | 6928202 | 150 | 10/21/2003 | METHOD AND APPARATUS FOR PACKAGING OPTICAL | WANG, ANBO |

| | | | | | |
|---|---|---|---|---|---|
| | | | | FIBER SENSORS FOR HARSH ENVIRONMENTS | |
| 10791842 | Not Issued | 71 | 03/04/2004 | Optical fiber sensors for harsh environments | WANG, ANBO |
| 10824600 | Not Issued | 41 | 04/15/2004 | Q-point stabilization for linear interferometric sensors using tunable diffraction grating | WANG, ANBO |
| 10863805 | Not Issued | 120 | 06/09/2004 | Holey optical fiber with random pattern of holes and method for making same | WANG, ANBO |
| 10911635 | 7054011 | 150 | 08/05/2004 | OPTICAL FIBER PRESSURE AND ACCELERATION SENSOR FABRICATED ON A FIBER ENDFACE | WANG, ANBO |
| 11413119 | Not Issued | 25 | 04/28/2006 | Multi-cavity fabry-perot interferometric thin-film sensor with built-in temperature compensation | WANG, ANBO |
| 11469759 | Not Issued | 25 | 09/01/2006 | OPTICAL FIBER SENSORS BASED ON PRESSURE-INDUCED TEMPORAL PERIODIC VARIATIONS IN REFRACTIVE INDEX | WANG, ANBO |
| 60047026 | Not Issued | 159 | 05/19/1997 | OPTICAL DATA LINK/HIGH SPEED DATA DETECTION | WANG, ANBO |
| 60221229 | Not Issued | 159 | 07/25/2000 | Method for producing long thin holes in optical fibers | WANG, ANBO |
| 60288195 | Not Issued | 159 | 05/01/2001 | Spectrum shaping deviece | WANG, ANBO |
| 60311361 | Not Issued | 159 | 08/13/2001 | Spectrum shaping device | WANG, ANBO |
| 60371148 | Not Issued | 159 | 04/10/2002 | Optical fiber single-crystal sapphire high temperature sensing instrument | WANG, ANBO |
| 60378351 | Not Issued | 159 | 05/08/2002 | Optical fiber sensors based on pressure-induced temporal periodic variations in refractive index or fiber geometry | WANG, ANBO |
| 60407983 | Not Issued | 159 | 09/05/2002 | Self-compensating fiber optical flow sensor | WANG, ANBO |
| 60408353 | Not Issued | 159 | 09/06/2002 | Intrinsic fabry-perot optical fiber sensors and their multiplexing | WANG, ANBO |
| 60419535 | Not Issued | 159 | 10/21/2002 | Optic fiber sensor packaging | WANG, ANBO |
| 60421058 | Not | 159 | 10/25/2002 | Method for producing long thin | WANG, ANBO |

| | | | | | |
|---|---|---|---|---|---|
| | Issued | | | holes in optical fibers | |
| 60452932 | Not Issued | 159 | 03/10/2003 | Optical fiber single-crystal sapphire high temperature sensing instrument | WANG, ANBO |
| 60454304 | Not Issued | 159 | 03/14/2003 | Optical polarimetric sensing instrument for multi-parameters detection and materials measurement | WANG, ANBO |
| 60499727 | Not Issued | 159 | 09/04/2003 | Miniature high temperature pressure sensor fabricated on fiber tip | WANG, ANBO |
| 60515447 | Not Issued | 159 | 10/30/2003 | Method for producing long thin holes in opticals fibers | WANG, ANBO |
| 60554933 | Not Issued | 159 | 03/22/2004 | Optical polarimetric sensing instrument for multi-parameters deters detection and materials measurement | WANG, ANBO |
| 60565529 | Not Issued | 159 | 04/27/2004 | Signal processing algorithm for white-light optical fiber extrinsic Fabry-Perot interferometric sensors | WANG, ANBO |
| 60617660 | Not Issued | 159 | 10/13/2004 | Intrinsic Fabry-Perot fiber optic sensor and frequency-division multiplexing scheme | WANG, ANBO |
| 60617662 | Not Issued | 159 | 10/13/2004 | Novel optical fiber devices using a long-period fiber grating in reflection mode | WANG, ANBO |
| 60661013 | Not Issued | 159 | 03/14/2005 | High speed spectrometer | WANG, ANBO |
| 60729757 | Not Issued | 20 | 10/25/2005 | Intrinsic Fabry-Perot fiber optic sensor and frequency-division multiplexing scheme | WANG, ANBO |
| 60739008 | Not Issued | 20 | 11/23/2005 | Multicavity fabry-perot interferometric thin-film sensor with built-in temperature compensation | WANG, ANBO |
| 60749090 | Not Issued | 20 | 12/12/2005 | Intrinsic fabry-perot structure with a micrometric tip | WANG, ANBO |
| 60749093 | Not Issued | 20 | 12/12/2005 | Miniature fabry-perot structure with a micrometric tip | WANG, ANBO |
| 60788740 | Not Issued | 20 | 04/04/2006 | High-speed optical spectrometer | WANG, ANBO |
| 60830107 | Not Issued | 20 | 07/12/2006 | Fiber optic sensor for gas sensing | WANG, ANBO |
| 60836127 | Not | 20 | 08/08/2006 | Method for low-loss adhesive-free | WANG, ANBO |

| | | | | | |
|---|---|---|---|---|---|
| | Issued | | | coupling between silica fiber and sapphire fiber | |
| 60836128 | Not Issued | 20 | 08/08/2006 | Fiber-optic interferometric sensor for high-temperature applications | WANG, ANBO |
| 60067358 | Not Issued | 159 | 12/02/1997 | OPTICAL DATA LINK | WANG, ANBO NMI |

## Inventor Search Completed: No Records to Display.

**Search Another: Inventor**

**Last Name** WANG **First Name** ANBO Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page